

TECHNICAL SPECIFICATIONS

T SERIES



Distributed by Digizoo

55"

Panel	Optimum Resolution	Ultra HD 3840x2160@60Hz
	Back Light Unit	E-LED
	Response Time	8ms (Typical)
	Viewing Angle (Horizontal/Vertical)	178° / 178°
	Contrast Ratio	1100 : 1 (Typical)
	Brightness	500 cd/m ² (Typical)

Touch	Touch Technology	Projected Capacitive (PCAP)
	Simultaneous Touch Points	50
	Touch Accuracy (Middle/Edge)	1mm
	Response Time	6ms
	Touch Compatibility Supported OS (Multi)	Windows 7 / 8 / 8.1 / 10, Android 4.3 ~, Linux kernel 3.8~

Features	Dual OS Support	Yes
	Windows Support	Yes (Via OPS)
	Android Support	Yes (Built-In)
	4PIP	Yes
	Home Button	Yes
	Touch OSD	Yes
	Direct Bonding	Yes
	180° Screen Rotation	Yes
Height Adjustable	Yes	

Internal Android	Chipset	RK3288
	Core	Cortex A17 Quad Core
	GPU	Mali T764
	OS Version	KitKat 4.4.2
	RAM/Storage	2GB/16GB

Glass	Anti-Glare	Yes
	Shatter Resistant	Yes
	Thickness	4mm

55"

Connectivity

HDMI 2.0	1
HDMI (MHL)	1
HDMI	1
Display Port 1.2	1
Touch Sensor USB	1
USB Update	1
USB 2.0	-
USB 3.0	(Via EZ OPS)
Gigabit WAN	1
Gigabit LAN	1
VGA Input	1
Video Component	-
A/V	-
Sound Bar Input	-

Mechanical

Outline Dimensions	Max: 1456.6mm x 927.3mm x 838mm Min: 1456.6mm x 927.3mm x 608mm
Packaged Outline Dimensions	1600mm x 1070mm x 790mm
Product Weight	98kg
Gross Weight	133kg
Installation Type	Table
Power Input Range	100V~240V~
Viewing Orientation	Landscape Only
Regulatory Approval	CE, RoHS Green Compliant
Manufacturer's Warranty	2 Years


Environmental

Operating Temperature	0°C~40°C
Storage Temperature	-10°C~60°C
Operating Humidity	20%~80%
Storage Humidity	10%~90%


Accessories



AC Power Cable




HDMI Cable



Remote Control



Touch Sensor USB Cable



D3 Quick Manual


TECHNICAL DRAWINGS

T SERIES




Distributed by Digizoo


Top View




Front View



Side View



Side View



Bottom View

